SECRET Approved For-Release 2005/05/02 : CIA-RDP78B04776A001200010015-3

IAS/TB-66/67 31 May 1967

	MEMORANDUM FOR:	Assistant for Technical Development, NPIC			
	SUBJECT :	Development of Twin Stage Comparator			
	REFERENCE :	(a) Technical Proposal from (b) Technical Proposal from (c) Alternate Proposal from (d) IAD/OSS Memorandum 07/67, dated 12 January 1967	25X1		
25X1 25X1	the proposed efformatum which requirements of the cally we were how this comparator in both function accurate and less	b, and c. Our review of these documents indicates that orts do not fulfill the objectives envisioned in our memouested this development (Reference d), nor the concept Development Objectives dated 17 February 1967. Specifipeful for a device which would "fall between the 405-B and the M-5 Microstereoscope (with Filar eyepieces) and design; being more precise than the M-5, but less sophisticated than the 405-B." If such a device were			
	that of the 405-				
25X1 25X1	2. We feel that proposals (a) and (b) describe what is essentially a "new" version of the present 405-B, with prototype costs ranging from and production versions estimated at between each. Apparently, shares this view since they declined to submit a proposal, and instead offered to supply additional models of their 405-B Chip Comparator.				
25X1	for which we were cost. Thus, we see that existing that existing corrected and the	oupling these facts with recent discussions between Mr. on this subject, we have concluded that the device e "searching" can probably not be built at an acceptable recommend that further action on this development effort effinitely. In making this recommendation we are assum- g malfunctions of the 405-B system will ultimately be at IPD's associated programming efforts will prove satis- are aware of any indications to the contrary, we would comments.			
		u please convey our thanks to and the other o have participated in this effort.	25X1		


SECRET Approved For Release 2005/05/02 : CIA-RDP78B04779A001200010015-3

IAS/TB-66/67 31 May 1967

5. We are returning references (a) separate cover.) and (b) to under	25X1
		25X1
	Chief, Zmagery Analysis Staff, DDI	

Distribution

Original - Addressee 2 - TB/IAS/DDI



25X1

CENTER ROUTING SLIP

Chief, Ima	agery	· Analysi	s Stafí	2, DDI 31 May 1967	
то		INITIALS	DATE	REMARKS	REMARKS
DIR					
DEP/DIR					
EXEC/DIR					
TECH ADV					
SPECIAL ASST					
ASST FOR P&M					
CH/SS					
ASST FOR OPS					
ASST FOR PA			<u> </u>		
ASST FOR P&D	1				
CH/CSD				Devel. Stoff stain	
CH/IPD				Water Staff with	
CH/PD					
CH/PSD	<u> </u>				
CH/TID				_	
	ļ			_	
CH/CIA/IAD				<u> </u>	
CH/DIA/XX-4				<u>'</u>	
CH/DIA/AP-IP					
CH/SPAD					
LO/CGS/CIA					
LO/NSA Approved F					İ